

**Samvel Ter-Antonyan**

samvel\_terantonyan@subr.edu

<http://icecube.wisc.edu/~samvel/>

## LIST OF PUBLICATIONS

- [121] Samvel Ter-Antonyan, *Sharp knee phenomenon of primary cosmic ray energy spectrum*. Phys. Rev. **D 89**, 123003 (2014), arXiv:1405.5472 [astro-ph.HE].
- [120] M.G. Aartsen et al. (IceCube Collaboration<sup>1</sup>), *Observation of High-Energy Astrophysical Neutrinos in Three Years of IceCube Data*, Phys. Rev. Lett. 113 (2014) 101101 (2014), arXiv:1405.5303 [astro-ph.HE].
- [119] M.G. Aartsen et al. (IceCube Collaboration), *Evidence for High-Energy Extraterrestrial Neutrinos at the IceCube Detector*, Science, 342 (2013) 1242856.
- [118] R.Abbasi et al. (IceCube Collaboration), *An absence of neutrino associated with cosmic-ray acceleration in -ray bursts*, Nature **484**, (2012) 351.
- [117] R.Abbasi et al. (IceCube Collaboration), *IceCube sensitivity for low-energy neutrinos from nearby supernova*, Astron. Astrophys. 535, A109 (2011), arXiv:1108.0171 [astro-ph.HE].
- [116] A.R. Fazely, R.M. Gunasingha., R.L. Imlay, K.D. Muhammad, S.V. Ter-Antonyan, and X. Xu, *Search capability for  $\eta \rightarrow \nu_{e,\tau}\bar{\nu}_{e,\tau}$  decays in cubic-kilometer neutrino detectors*, Phys. Rev. **D 81**, (11) 117101 (2010), arXiv:0902.3451 [hep-ex].
- [115] Romen M. Martirosov, Samvel V. Ter-Antonyan et al. (GAMMA Collaboration), *Galactic diffuse gamma-ray flux at the energy about 175 TeV*, arXiv:0905.3593 [astro-ph] (2009), Proc. 31<sup>st</sup> ICRC, Lodz, Poland (2009).
- [114] R.M. Martirosov , A.P.Garyaka, S.V. Ter-Antonyan et al. (GAMMA Collaboration), *Does the GAMMA experiment detect the polar cap component at energies 70-80 PeV?*, Nuclear Physics **B 196** (2009) 173.
- [113] A.R. Fazely, R.M. Gunasingha, S.V. Ter-Antonyan, *Cosmic Ray Proton Background Could Explain ATIC Electron Excess*, arXiv:0904.2371 [astro-ph.HE].
- [112] A.P. Garyaka, et al. (GAMMA Collaboration), *Primary cosmic ray energy spectrum in terms of the GAMMA muon data*, Nuclear Physics **B**, ISSN:09205632, 196 (2009) 387.
- [111] A.P. Garyaka, R.M. Martirosov, S.V. Ter-Antonyan et al., *All-particle primary energy spectrum in the 3-200 PeV energy range*, Journal of Physics G: Nuclear and Particle Physics, **35** (2008) 115201, arXiv:0808.1421 [astro-ph] (2008).
- [110] R.M. Martirosov, S.V. Ter-Antonyan et al. (GAMMA Collaboartion), *Energy spectra and elemental composition of primary nuclei in the knee region: Recent results from the GAMMA experiment.*, Nuclear Physics **B 175-176** (2008) 311.
- [109] L.W. Jones, Y.A. Gallant et al. (GAMMA Collaboration), *Future Plans for the GAMMA Array on Mt. Aragats*. Nuclear Physics **B**, **175-176** (2008) 315.
- [108] S.V. Ter-Antonyan, *Mutually compensative pseudo solutions of primary energy spectra in the knee region*. Astropart. Phys. **28** (2007) 321, arXiv:0706.4087 [astro-ph].
- [107] A.P. Garyaka, R.M. Martirosov, S.V. Ter-Antonyan et al., *Rigidity dependent cosmic ray energy spectra in the knee region obtained with the GAMMA experiment*.

---

<sup>1</sup> Only a few IceCube Collaboration publications are included.

- Astropart. Phys. **28**, (2007) 169, arXiv:0704.3200 [astro-ph] (2007).
- [106] R.M. Martirosov, A.P. Garyaka, S.V. Ter-Antonyan et al., *Evidence for a bump in the primary cosmic ray energy spectrum at 3-200 PeV*. Proc. 30<sup>th</sup> ICRC, Merida, Yucatan, HE 1.2.A, 515 (2007).
- [105] S.V. Ter-Antonyan, Y.A. Gallant et al. (GAMMA Collaboration), *Primary composition and energy spectra obtained with the GAMMA facility*. Proc. 29<sup>th</sup> ICRC, Pune, **6** (2005), 101 (arm-ter-antonyan-S-abs1-he12-oral).
- [104] R.M. Martirosov et al. (GAMMA Collaboration), *Status of the GAMMA experiment*. Proc. 29<sup>th</sup> ICRC, Pune, **8** (2005), 9 (arm-martirosov-R-abs1-he15-oral).
- [103] S.V. Ter-Antonyan, Y.A. Gallant et al. (GAMMA Collaboration), *All-particle primary energy spectrum in the knee region*. Proc. 29<sup>th</sup> ICRC, Pune, **6** (2005), 105 (arm-ter-antonyan-S-abs2-he12-poster).
- [102] Y.A. Gallant, A.P. Garyaka et al. (GAMMA Collaboration), *Search for PeV cosmic-ray sources with the GAMMA experiment*. Proc. 29<sup>th</sup> ICRC, Pune (2005) arm-martirosov-R-abs3-og22-poster.
- [101] S.V. Ter-Antonyan et al. (GAMMA Collaboration), *Primary Energy Spectra and Elemental Composition: GAMMA Experiment*. astro-ph/0506588 (2005).
- [100] Samvel Ter-Antonyan and Peter Biermann, *Primary Cosmic Ray Spectra in the Knee Region*. Proc. 28<sup>th</sup> ICRC, Tsukuba, Japan, 235 (2003).
- [99] S.V. Ter-Antonyan, *About EAS inverse approach*. 28<sup>th</sup> ICRC, Tsukuba HE2 (2003) 239, arXiv:astro-ph/0303658.
- [98] Peter L. Biermann, Sergej Moiseenko, Samvel Ter-Antonyan, & Ana Vasile, *Cosmic Ray from PeV to Zev, Stellar Evolution, Supernova Physics and Gamma Ray Bursts*. arXiv:astro-ph/0302201 (2003).
- [97] Ter-Antonyan S.V. and Biermann P.L., *Test of primary model predictions by EAS size spectra*. Proc. of 27<sup>th</sup> ICRC (2001) Hamburg, HE054, 1051, arXiv:astro-ph/0106091 (2001).
- [96] Ter-Antonyan S.V. and Biermann P.L., *Flux of upward high-energy muons at multi-component primary energy spectrum*. Proc. 27<sup>th</sup> ICRC (2001) Hamburg, HE225, 1051, arXiv:hep-ph/0106076 (2001).
- [95] Ter-Antonyan S.V., *Anisotropy analysis of EAS data in the knee region*. Proc. of 27<sup>th</sup> ICRC, 2001, Hamburg, HE052, 227, arXiv:astro-ph/0106124 (2001).
- [94] Ter-Antonyan S.V., Haroyan L.S., *About EAS size spectra and primary energy spectra in the knee region*. arXiv:hep-ex/0003006 (2000).
- [93] Petrukhin A.A. et al. (DÉCOR Collaboration), *Large area coordinate detector for horizontal cosmic ray flux investigations (Status Report)*. Proc. 26<sup>th</sup> ICRC, Salt Lake City, Utah (1999) **2**, 460.
- [92] Ter-Antonyan S.V., Ter-Antonyan R.S., *Differential energy spectrum of hadrons of TeV energy at the mountain level*. Izv. Akad. Nauk. Fiz. (1999) **63**, No.3, 498 (in Russian).
- [91] Ter-Antonyan S.V. and Ter-Antonyan R.S., *Expected cosmic ray background flux at Aragats level*. Proc. of the workshop ANI98, Forschungszentrum Karlsruhe (1998) FZKA 6216, 61.
- [90] Ter-Antonyan S.V. and Haroyan L.S., *Verification of the CORSIKA code in the 0.01-500 TeV energy range*. Proc. of the workshop ANI98, Forschungszentrum Karlsruhe (1998) FZKA 6216, 115.

- [89] Chilingaryan A., Ter-Antonyan S., Vardanyan A. et al., *Energy spectra and elemental composition determination on mountain altitudes and sea level*. Nuclear Physics B, **60** (1998) 117.
- [88] Chilingarian A., Ter-Antonyan S., *The comparison of Bayesian and neural techniques in problems of classification to multiple categories*. NIM A **389** (1997) 230.
- [87] Chilingarian A., Ter-Antonian S., Vardanyan A., *On the non-parametric classification and regression methods for multivariate EAS data analysis*. Nuclear Physics B, **52**, (1997) 237.
- [86] Chilingarian A., Ter-Antonian S., *On the accuracy of the primary energy and nuclei determination at mountain altitudes and sea level*. Nuclear Physics B, **52** (1997) 240.
- [85] Ter-Antonyan S.V., Chilingarian A.A., *About EAS integral size spectrum in the  $10^5$ - $10^7$  range at mountain level and different zenith angles*. Izv. Akad. Nauk. Rossii, Fiz. (1997) **61**, No.3, 508 (in Russian).
- [84] Vardanyan A.A., Zazyan M.Z., Ter-Antonyan S.V., *Reconstruction of primary cosmic ray energy spectra and elemental composition on the bases of multidimensional analyses of EAS data*. Izv. Akad. Nauk. Rossii, Fiz. (1997) **61**, No.3, 511 (in Russian).
- [83] Avakian V.V. et al. (ANI Collaboration), *Status report on "Maket-ANI" experiment*. Proc. 24<sup>th</sup> ICRC, Roma (1995) **1**, 348.
- [82] Ter-Antonian S.V., Mamidjanian E.A., et al. (ANI Collaboration), *Energy spectrum and hadron lateral distribution in EAS at mountain altitude*. Maket-ANI experiment. Proc. 24<sup>th</sup> ICRC, Roma (1995) **1**, 369.
- [81] Ter-Antonian S.V., Mamidjanian E.A., et al., *Integral EAS spectrum at mountain altitude in the "knee" region*. Proc., 24<sup>th</sup> ICRC (1995) **1**, 365.
- [80] Ter-Antonyan S.V., *Lateral distributions end energy spectra of EAS electron and high energy hadron components at mountain level for  $10^{14}$ - $10^{16}$  eV primary energies*. Second PhD Thesis, (1995) YerPhI, Yerevan, 105p. (in Russian).
- [79] Ter-Antonyan S.V., Avakyan K.M. et al. (ANI Collaboration), *Energy spectrum and spatial distribution function of hadrons in EAS at mountain level. Maket-ANI experiment*. Izv. Akad. Nauk. Rossii, Fiz. (1994) **58**, No.9, 75 (in Russian).
- [78] Mamidjanian E.A., Melkumian L.G., Smorodin Yu.A., Ter-Antonian S.V., *Application of maximum likelihood analysis to scanning micro-densitometer data from X-ray emulsion chambers*. NIM B **83** (1993) 419.
- [77] Avakian V.V., Mamidjanian E.A., Hovsepian G.G., Ter-Antonyan S.V., *Integral spectrum of extensive air showers at mountain level in the particle number range  $5\times 10^4$ - $5\times 10^7$* . Yad. Fiz. (1993) **56**, No. 9, 183 (in Russian).
- [76] Avakian V.V. et al. (ANI Collaboration), *Maket-ANI experiment: Study of EAS in the particle number range  $5\times 10^4$ - $5\times 10^7$  range*. Yad. Fiz. (1993) **55**, No.9, 174.
- [75] Danilova T.V. et al. (ANI Collaboration), *The ANI experiment: on the investigation of interactions from hadrons and nuclei in the energy range  $10^3$ - $10^5$  TeV*. NIM A323, (1992) 104.
- [74] Avakian V.V., Mamidjanian E.A., Ovsepyan G.G., Ter-Antonian S.V., *Flux of high-energy hadron groups at mountain altitudes*. Yad. Fiz. (1992) **55**, No.3, 746 (in Russian), Sov.Journal of Nucl.Phys. 55:414-417 (1992)
- [73] Avakian V.V., Mamidjanian E.A., Ovsepyan G.G., Ter-Antonian S.V., *Spatial distribution of high-energy hadrons in extensive air showers with  $10^4$ - $10^6$  particles*. Yad.

- Fiz. (1991) 54 6(12), 1654 (in Russian), Sov.Journal Nucl. Phys. 54:1013-1018 (1991).
- [72] Avakian V.V., Mamidjanian E.A., Hovsepian G.G., Ter-Antonyan S.V., *The flux of hadron bundles of the mountain altitudes.* Proc. 22<sup>th</sup> ICRC, Dublin (1991) **4**, 299.
- [71] Avakian V.V. et al. *The lateral distribution of EAS hadrons in energy range of 0.5-5 TeV.* Proc. 22<sup>th</sup> ICRC, Dublin, (1991) **4**, 303.
- [70] Asatiani T.L., Baginian S.A. et al. (ANI collaboration), *A program for investigation of the muon component in EAS on the magnetic spectrometer ANI in the energy range from 5-GeV to 3000-GeV.* YERPHI-1349-44-91 (1991) (in Russian).
- [69] Avakian V.V., Mamidjanian E.A., Babadzhanian O.S., Matinian S.G., Ter-Antonyan S.V., *Creation of jets with large transverse momenta.* Izv. Akad. Nauk SSSR (1991) Fiz. 55, 669 (in Russian), Bull. Acad. Sci. USSR, Phys. Ser. 55, (1991) No. 4, 46.
- [68] Mamidzhanian E.A., Melkumyan L.G., Ter-Antonyan S.V., *Calibration of energy measured in Roentgen emulsion films.* Yad.Fiz. (1990) **52**, No.4(10), 1033 (in Russian).
- [67] Avakian V.V., Mamidjanian E.A., Ovssepian G.G., Ter-Antonyan S.V., *Pion and proton flux at TeV energies at mountain level.* Yad. Fiz. (1990) **51**, N3, 770 (in Russian).
- [66] Avakian V.V., Babadjanian O.S. et al., Ter-Antonyan S.V., *Hard processes and ANI experiment.* Proc. 21<sup>th</sup> ICRC, Adelaide (1990) **10**, 162.
- [65] Avakian V.V. et al., *The study of characteristics of hadron containing EAS with the number of particles  $10^3$ - $5 \times 10^6$ .* Proc. 21<sup>th</sup> ICRC, Adelaide (1990) **9**, 60.
- [64] Avakian V.V., Hovsepian G.G., Mamijanian E.A., Ter-Antonyan S.V., *The absolute spectrum, angular distribution and composition of hadron flux at high altitudes at energies  $E > 1$  TeV.* Proc. 21<sup>th</sup> ICRC, Adelaide (1990) **8**, 206.
- [63] Avakyan V.V., Mamidzhanian, E.A., Ovsepian G.G., Ter-Antonyan S.V., *Absolute energy spectrum and zenith angle distribution of hadrons at energies above 1 TeV.* Izv. Akad. Nauk SSSR (1989) Fiz. **53**, 227.
- [62] Avakian V.V., Babadjanian V.V. et al., *A method for determination of the angular coordinates of EAS cores.* YERPHI-1167-44-89 (1989).
- [61] Ter-Antonyan S.V., *A combined method for determination of EAS parameters.* YERPHI-1168-45-89 (1989).
- [60] Avakyan V.V., Mamidzhanian, E.A., Ovsepian G.G., Ter-Antonyan S.V., *Differential energy spectrum and angular distribution of hadrons at mountain altitude at energies  $E > 10^3$  GeV.* Yad. Fiz. (1989) **50**, No.1(7), 134 (in Russian).
- [59] Babadzhanian O.S., Ter-Antonyan S.V., *A method of determination of EAS parameters in the particles number interval from  $10^3$  to  $10^6$ .* YERPHI-1031-8-89 (1989).
- [58] Borodkin V.A. et al. *The density fluctuation of electron-photon cascades on X-ray films RT-6.* Preprint of Lebedev Phys. Inst. (1988) No.249, Moscow (in Russian).
- [57] Avakian V.V., Avundzhan A.T. et al., *Possible excess of hadron groups in the CYGNUS X-3 direction observed at the PION installation.* JETP Lett. 48:254-257 (1988).
- [56] Mnatsakanian E.A., Ter-Antonyan S.V., Martirosian P.A., *On a possibility of the determination of the field integral of muon magnetic spectrometers.* EFI-1058-21-88-Yerevan 1988 (in Russian).
- [55] Asatiani T.L., Ivanov V.A., Ter-Antonyan S.V., *The muon magnetic spectrometer for ANI experiment.* Proc. Int. Symp. on Coordinate Detectors in High Energy Physics, JINR, Dubna (1988) D1, 13-88-172, 120 (in Russian).
- [54] Avakian V.V., Avakian K.M. et al., *Pair-metter of ANI experiment.* EFI-1099-62-88-Yerevan (1988) (in Russian).

- [53] Pogosian A.K., Ter-Antonian S.V., *Investigation of efficiency of the detecting system of the ANI magnetic spectrometer*. EFI-1043-6-88-Yerevan 1987 (in Russian).
- [52] Martirosian G.S., Ovsepian G.G., Ter-Antonian S.V., *Possibilities for search of cosmic ray anisotropy on the PION installation*. EFI-985-35-87-Yerevan 1987 (in Russian).
- [51] Avakian V.V., Karagezian G.V., Ovsepian G.G., Ter-Antonian S.V., *A technique for investigation of hadron groups in ionization calorimeter*. EFI-995-45-87-Yerevan 1987 (in Russian).
- [50] Avakian V.V., Mamidzhanian E.A. et al. *The absolute spectrum of 1 TeV hadrons 700 - the atmosphere*. EFI-952-2-87 YEREVAN 1986.
- [49] Avakian V.V., Garyaka A.P. et al., *Determination of  $\sigma_{prod}^{p-Air}$  in the ANI experiment at  $10^3$ - $10^5$  TeV proton energy range*. Journal of Problems of Atom Science and Technique, Ser. Tech. Phys. Exper. (1986) No.3(29) 57 (in Russian).
- [48] Avakian V.V., Azarian M.O. et al. *Study of characteristics of albedo particles generated in interactions of cosmic ray hadrons*. Yad. Fiz. (1986) 44, No.5(11), 1224.
- [47] Avakian V.V., Mamidjanian E.A., Ovsepian G.G., Ter-Antonian S.V., About the cosmic ray hadron energy spectra parameterization by measured distributions. Journal of Problems of Atom Science and Technique, Ser. Tech. Phys. Exper. (1985) No.4(25) 85.
- [46] Avakian V.V., Azarian M.O. et al., *Angular distribution and multiplicity of backward hadron in hFe interactions with 0.5-5.0 TeV energies (PION experiment)*. Proc. 19<sup>th</sup> ICRC, La Jolla (1985) **6**, 64.
- [45] Melkumian L.G., Ter-Antonian S.V., Smorodin Yu.A., *A new method of differential structural analyses of family basic parameters*. Proc. 19<sup>th</sup> ICRC, La Jolla (1985) **6**, 396.
- [44] Asatiani T.L., Abramian A.V. et al., *Results of muon studies conducted at the Aragats high altitude station*. Izv Akad. Nauk SSSR (1985) Ser. Fiz., **49**, No.,7, 1377, Bull. Acad. Sci. USSR (1985) Phys. Ser. No.7 134-136.
- [43] Pogosian A.K., Ter-Antonian S.V., *The method of experimental data optimum binning*. Journal of Problems of Atom Science and Technique, Ser. Tech. Phys. Exper., (1984) No.3(20), 65 (in Russian).
- [42] Melkumian L.G., Ter-Antonian S.V., *New method of gamma-family structural analyses*. Journal of Problems of Atom Science and Technique, Ser. Tech. Phys. Exper. (1984) No.3(20), 60 (in Russian).
- [41] Kozliner L.I., Ter-Antonian S.V., *Investigation of electromagnetic showers by Aragats complex setup*. Journal of Problems of Atom Science and Technique, Ser. Tech. Phys. Exper. (1984) No.3(20), 48 (in Russian).
- [40] Avakian V.V., Garyaka A.P., et al., *Determination of cross-section of inelastic interaction of pion and nucleon with Fe nuclei in the energy interval 0.5-5 TeV* Yad. Fiz. (1984) **40** No.4(10) 949 (in Russian).
- [39] Melkumian L.G., Ter-Antonian S.V., *A new method of data processing from X-ray emulsion films in investigation of nuclear interactions*. EFI-725-40-84-YEREVAN 1984.
- [38] Kozliner L.I., Pogosian A.K., Ter-Antonian S.V., *Simulation of muon passage through Aragats magnetic spectrometer*. EFI-710-25-84-YEREVAN, 1984 (in Russian).
- [37] Asatiani.T.L., Ivanov V.A., Mnatsakanian E.A., Pogosian A.K., Ter-Antonian S.V., *The ANIMAG magnetic spectrometer imitation model*. Journal of Problems of Atom Science and Technique, Ser. Tech. Phys. Exper. (1983) No.5(17), 65 (in Russian).

- [36] Asatiani T.L., Kozliner L.I., Pogosian A.K., Ter-Antonian S.V., *Particle trajectory restoration technique by means of optical wedges*. EFI-682-72-83-YEREVAN (1983).
- [35] Asatiani T.L., Alchudzhan S. et al., *Momentum spectrum and charge ratio of cosmic ray muons with energy up to 1 TeV*. EFI-681-71-83-YEREVAN 1983 (in Russian).
- [34] Avakian V.V., Avundzhan A.T., et al., *Determination of cross-section of inelastic interaction of pion and nucleon with Fe nuclei in the energy interval 0.5-5 TeV*. Journal of Problems of Atom Science and Technique, Ser. Tech. Phys. Exper. (1983) No.4(16), 45 (in Russian).
- [33] Danilova T.V., Dunaevsky A.M. et al., *The project of the experimental investigating the interactions of hadrons and nuclei in the energy range  $10^3$ - $10^5$  TeV*. Proc 18<sup>th</sup> ICRC, Bangalore (1983) **5**, 520.
- [32] Danilova T.V., Dunaevsky A.M. et al., *The ANI installation for the study of the interactions of hadrons and nuclei in the energy range  $10^3$ - $10^5$  TeV*. Proc. 18<sup>th</sup> ICRC, Bangalore (1983) **5**, 527.
- [31] Asatiani T.L., Abrahamian A.V. et al. *The investigation of the cosmic ray muon energy spectrum, charge ratio and HAS with the Aragats complex installation*. Proc. 18<sup>th</sup> ICRC, Bangalore (1983) **7**, 47,
- [30] Asatiani T.L., Abrahamian A.V. et al., *The investigation of muon groups at large zenith angles with Aragats spark calorimeter*. Proc., 18<sup>th</sup> ICRC, Bangalore (1983) **7**, 60.
- [29] Asatiani T.L., Ter-Antonian S.V., *The investigation of hadron-production by cosmic ray muons of lead nuclei with the spark calorimeter method*. Proc. 18<sup>th</sup> ICRC, Bangalore, (1983) **7**, 87.
- [28] Danilova T.V., Erlykin A.D. et al., *On the possibility of investigating the EAS muon energy spectra at the ANI magnetic spectrometer*. Proc 18<sup>th</sup> ICRC, Bangalore (1983) **8**, 104.
- [27] Melkumian L.G., Ter-Antonian S.V., *Use of the maximum probability method in data processing from X-ray emulsion films*. EFI-649-39-83-YEREVAN 1983 (in Russian).
- [26] Asatiani T.L., Ivanov V.A., Ter-Antonyan S.V. et al., *ANI magnetic spectrometer for horizontal cosmic ray muon flux*. Journal of Problems of Atom Science and Technique, Ser. Tech. Phys. Exper. (1983) No.1(13) 85 (in Russian).
- [25] Asatiani T.l., Alchudzhian et al., *Investigation of muon groups and nuclear interactions by the spark calorimeter method*. Izv. Akad. Nauk SSSR (1982) Fiz. 46, 2419. (in Russian), Bull. Acad. Sci. USSR, Phys. Ser. **46**, (1982) No.12, 142.
- [24] Ter-Antonian S.V., *Investigation of muon interactions with lead nuclei and flux of muon bundles at large zenith angles by spark calorimeter method*. PhD Thesis (1982) YerPhI, Yerevan (in Russian).
- [23] Danilova T.V. et al., *A project of the experiment on the investigation of interactions of hadrons in the energy range  $10^3$ - $10^5$  TeV*. Izv. Akad. Nauk Arm. SSR (1982) Ser. Fiz. 17, 129 (in Russian).
- [22] Avundzhan A.T., Asatiani T.L. et al., *On the contribution of muons of cosmic radiation in the spectrum of hadron detected at the PION setup*. EFI-539-26-82-YEREVAN, 1982 (in Russian).
- [21] Ter-Antonyan S.V. Chilingarian A.A., *About the possibility of improving the multi-layered detector energy resolution*. Journal of Problems of Atom Science and Technique, Ser. Tech. Phys. Exper. (1982) No.3(12) 90 (in Russian).
- [20] Asatiani T.L., Ivanov V.A., et al., *About possible program of extensive air shower*

- muon investigation at primary energies  $10^2$ - $10^6$  TeV.* Journal of Problems of Atom Science and Technique, Ser. Tech.Phys.Exper. (1982) No.3(12) 79 (in Russian).
- [19] Chilingarian A.A., Ter-Antonyan S.V., *On the possibility of improving the multi-layered detector energy resolution.* EFI-519-6-82-YEREVAN, 1981.
- [18] Ter-Antonyan S.V., *About planning pair-meter muon setup for ANI experiment.* Journal of Problems of Atom Science and Technique, Ser. Tech. Phys. Exper. (1981) No.2(8) 75 (in Russian).
- [17] Asatiani T.L., Alchudzhan S.V. et al., *A study of the horizontal muon flux with a magnetic spectrometer and spark calorimeter.* Izv. Akad. Nauk SSSR (1981) Fiz. **45**, 1265, Bull. Acad. Sci. USSR (1981) Phys. Ser. **45**, No.7, 120 (in Russian).
- [16] Asatiani T.L., Alchudzhan S.V. et al., *Investigation of characteristics of high-energy cosmic ray muons.* Izv. Akad. Nauk SSSR (1980) Fiz. **44**, 590. Bull. Acad. Sci. USSR, (1980) Phys. Ser. **44**, No.3, 127.
- [15] Asatiani T.L., Ter-Antonyan S.V., *Modeling of muon passage through the Aragats spark calorimeter.* EFI-469-11-81-YEREVAN, 1981 (in Russian).
- [14] Chilingarian A.A., Chilingaryan N.S., Ter-Antonyan S.V., *Numerical methods of calculation of experimental installation gathering power.* EFI-454-61-80-YEREVAN. 1980.
- [13] Asatiani T.L., Ter-Antonyan S.V. *Investigation of horizontal cosmic ray muons by means of a spark chamber calorimeter at the Aragats station.* Izv. Akad. Nauk Arm. SSR (1980) Ser.Fiz., **15**, 174 (in Russian).
- [12] Asatiani T.L., Alchudzhan S.V. et al., *The investigation of electromagnetic and nuclear interactions of cosmic ray muons.* Proc. 16<sup>th</sup> ICRC, Kyoto (1979) **10**, 225.
- [11] Asatiani T.L., Alchudzhan S.V. et al., *The investigation of momentum spectrum and of positive to negative ratio of cosmic ray muons.* Proc. 16<sup>th</sup> ICRC, Kyoto (1979) **10**, 48.
- [10] Asatiani T.L., Alchudzhan S.V. et al., *Electromagnetic interactions of high-energy cosmic ray muons and muon pairs.* Izv. Akad. Nauk Arm. SSR (1978) Ser.Fiz. **13**, 3.
- [9] Ter-Antonyan S.V., *On the effective generation layer of electromagnetic cascade with respect to the energy spectrum of secondary particle.* EFI-315-40-78-YEREVAN 1978.
- [8] Asatiani T.L., Alchudzhan S.V. et al., *Method of optical wedges for spatial reconstruction of particle trajectories.* Instrum. Exp. Tech. (1978) 21, 600 (in Russian).
- [7] Asatiani T.L., Alchudzhan S.V. et al., *Electromagnetic interactions of cosmic ray muons.* Proc. 15<sup>th</sup> ICRC, Plovdiv (1977) **6**, 394.
- [6] Asatiani T.L., Alchudzhan S.V. et al. *Momentum spectrum and charge ratio of cosmic ray muons at zenith angle  $84^0$ .* Proc.15<sup>th</sup> ICRC, Plovdiv (1977) **11**, 362.
- [5] Asatiani T.L., Alchudzhan S.V. et al., *Momentum spectra and charge ratio of horizontal atmospheric muons at mountain altitudes in the momentum range 20-1600 GeV/c.* Proc. 14<sup>th</sup> ICRC, Muenchen (1975) **6**, 2024.
- [4] Asatiani T.L., Alchudzhan S.V. et al., *A complex installation for the investigation of high-energy cosmic ray muons.* Proc. 14<sup>th</sup> ICRC, Muenchen (1975) **6**, 2151.
- [3] Asatiani T.L., Alchudzhan S.V. et al., *The investigation of muon bundles.* Proc. 14<sup>th</sup> ICRC, Muenchen (1975) **6**, 2030.
- [2] Asatiani T.L., Alchudzhan S.V., et al., *Aragats cosmic ray muon spectrometer.* EFI-129-75-YEREVAN, 1975 (in Russian).
- [1] Asatiani T.L., Alchudzhan S.V. et al., *Performance of Aragats magnetic spectrometer.* EFI-128-75-YEREVAN 1975 (in Russian).